


High performance redefined

Audi RS 3 Sportback & RS 3 Sedan



Performance is an attitude



Design follows performance

Sharpened proportions, RS design elements and expressive details. The Audi RS 3* shows its progressive character from every side. The RS-specific side sills with inserts in gloss black and the RS-specific rear bumper with RS 3 exclusive diffuser insert in gloss black lend the Audi RS 3* an eye-catching appearance.



Feel the character

The front is all about presence with its flat, wide Audi Single frame and RS honeycomb grille, flanked by large side air inlets.



Inspired by motorsport

The air vent forward of the front doors and the 19-inch alloy wheels with RS Brake calipers painted in red lend expression to the vehicle's dynamism.



Very special charisma

RS specific animation in combination with Matrix LED Headlights: Display "R", "S", "3" while locking and unlocking the vehicle.





Feel the sportiness

Standard with RS Sports seats, the optional rhombus pattern and RS stitching in red or green complete the sporty ambience. Equipped with panoramic glass sunroof, allowing each passenger to broaden their horizons.



Functionality meets performance


The luggage capacity of Audi RS 3 Sportback* can be extended from 282 liters up to 1,104 liters (321 liters for Audi RS 3 Sedan*). The rear seat backrest can be split-folded or fully collapsed as standard.

Interior — dynamically interpreted



RS — in a nutshell

The 2.5-litre TFSI engine with an output of 294 kW and maximum torque of 500 Nm are impressive values for a 5-cylinder inline engine that will make you sit up and take notice.




Dynamic driving

Enhances the driving dynamics and comfort thanks to more direct steering characteristics. The quattro® permanent allwheel drive ensures steady control under varies weather and road conditions.



Enhance the stability

New developed RS Sport suspension with a new valve system. Its consistently sporty tuning satisfies the basic requirements for the outstanding handling.



Emotionalised the Audi Sport DNA

Maximum output in 400 ps, acceleration from 0 to 100 km/h in 3.8 seconds.

Intelligent performance



5-cylinder engine

Unique ignition sequence 1-2-4-5-3. It is deeply rooted in the Audi DNA and thus contributes strongly to emotionalise the brand Audi Sport and ensure high performance.



RS-Torque-Splitter

Based on driving situations to distribute the engine's drive power in the rear axle drive.

Performance visualised



RS Virtual Cockpit Plus with new design

"RS Performance" Virtual Cockpit design is a homage to the legendary Audi quattro in the 80's, which was one of the first digital cockpits. It is a fully digital instrument cluster that displays relevant information.



Audi Drive Select

Emphases the vehicles' driving mode, tire pressure, car temperature, G meter values. The MMI® Navigation plus supporting Apple CarPlay perfectly enhance the riding pleasure of each passengers.

Final equipment subject to specification sheet.
For detailed information, please contact sales hotline 2291 0000.
*Overseas model is indicated, specification and feature may differ in Hong Kong.



Make your new Audi RS 3* inspiringly unique

Alloy wheels

Standard

19"



Optional**

19"





RS Sport Seats


Standard



Microfiber Dinamica / synthetic leather mono.pur 550

Optional**





Fine Nappa leather with honeycomb quilting and RS embossing in Red or Green

The Audi premium customised paint finishes

You don't get a second chance to make a first impression. Seize this one and choose your own personal exterior paint finish from the wide range of Audi exclusive colours.

Exterior paint









Pearl effect

Kyalami Green

Metallic

Solid









Glacier White Kemora Grey

Mythos Black

Python Yellow

Tango Red

RS 3 Sportback / RS 3 Sedan
In-line 5 cyl FSI petrol engine, turbocharged
2,480 cc
400 ps / 5,600 – 7,000 rpm
500 Nm / 2,250 - 5,600 rpm
quattro® permanent all-wheel drive
7-speed S tronic
1,645 / 1,650 kg
2,075 / 2,080 kg
75 / - kg
250 km / h
0 – 100 km / h: 3.8 s
Super sulfur-free RON 95
11.1 – 11.2 L / 100 km
6.5 – 6.7 L / 100 km
8.2 - 8.3 L / 100 km
188 – 190 g / km
Euro 6d-ISC-FCM


Explanatory note

- 1. Empty vehicle weight includes driver (75 kg) and fuel tank 90% full, calculated in accordance with the current Regulation (EU) 1230/2012. Optional equipment may increase the car's empty weight and drag coefficient, whereupon the possible payload and the top speed will b reduced accordingly.
- 2. The specified fuel consumption and emission data have been determined according to the measurement procedure prescribed by law. Since 1 September, 2017, certain new vehicles are already being type-approved according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP), a more realistic test procedure for measuring fuel consumption and CO2 emissions. Starting on 1 September, 2018, the New European Driving Cycle (NEDC) will by replaced by the WLTP in stages. Owing to the more realistic test conditions, the fuel consumption and CO2 emission measured according to the WLTP will, in many cases, be higher than those measured according to the NEDC.
- 3. We recommended using super sulfur-free unleaded RON 95 fuel in complying with DIN EN 228. If this is not available, use regular sulfur-free unleaded RON 91 fuel complying with DIN EN 228, power output will be slightly reduced. Unleaded RON 95 fuel with a maximum ethanol content of 10% (E10) can generally be used. Fuel consumption details refer to operation with RON 95 fuel complying with 692/2008/ EC.
- 4. We are currently still required by law to state the NEDC figures. In the case of new vehicles which have been type-approved according to the WLTP, the NEDC figures are derived from the WLTP data. It is possible to specify the WLTP figures voluntarily in addition until such time as this is required by law. In cases where the NEDC figures are specified as value ranges, these do not refer to a particular individual vehicle and do not constitute part of the sales offering. They are intended exclusively as a means of comparison between different vehicle types.
- 5. Additional equipment and accessories (e. g. add-on parts, different tyre formats, etc.) may change the relevant vehicle parameters, such as weight, rolling resistance and aerodynamics, and, in conjunction with weather and traffic conditions and individual driving style, may affect fuel consumption, electrical power consumption, CO2 emissions and the performance figures for the vehicle.

RS 3 Sportback Dimensions in mm

Dimensions are for empty vehicle weight. Luggage capacity 282 – 1,104 L

(second value is with the rear seat backrest folded down and the vehicle loaded up to roof height). Turning circle approx. 12.0 m. 1) Shoulder width 2) Elbow width *Maximum headroom



RS 3 Sedan Dimensions in mm

Dimensions are for empty vehicle weight. Luggage capacity 321 L

(second value is with the rear seat backrest folded down and the vehicle loaded up to roof height). Turning circle approx. 12.0 m.

1) Shoulder width 2) Elbow width *Maximum headroom

